

R675CT

raindrip®

Installation & Programming




Video available on Raindrip.com/timers

Installation

Tool-Free!



Tip:
Must have minimum
of 15 PSI at hose bib.



Hose Bib

Hand Tighten



Timer

Visit Raindrip.com/timers

Programming



Tip:
“AUTOMATIC” light
will flash when in
automatic mode.

1. Set Frequency

(Frequency = How OFTEN you want the water to come on.)

From RESET position, turn dial to desired setting.

(Example has timer starting once a day.)

! Turn dial from RESET position at the time of day watering is to start (e.g. at 7:00 am)



2. Set Run Time

(Run Time = How LONG you want the water to run.)

Set dial to the desired setting.

(Example has timer running for 15 min.)



Programming Changes

! If you avoid the RESET position, Frequency and Run Time dial settings can be made at any time and will not change your original start time.

Getting Started

1. Make sure you have:

- (2) Alkaline AA batteries (not included)



Batteries



Timer

2. Load the batteries as shown:



Tip:

Firmly push down on the battery tray to ensure it is clicked into the timer.

Visit Raindrip.com/timers



Extra Features



Tip:
Manual light will flash when in Manual or Rain Delay modes.

Rain Delay

(Rain Delay = Watering delayed for a specified period of time)

From RESET position, turn dial to desired “Rain Delay” setting.

(The example shows the program will resume in 48 hours.)

Manual Watering

(Manual Mode = Watering in between scheduled programming)

From RESET position, turn dial to desired “Manual Water” setting.

(The example shows the timer will water manually for 30 minutes.)

! Automatic watering will resume automatically after manual mode is complete



Troubleshooting

Water does not come on:

POSSIBLE PROBLEM ▶	SOLUTION
Water off	Turn water on
Battery power low	Replace batteries
Batteries not installed properly	Correct battery installation
Run time is longer or the same as Frequency	Increase Frequency or reduce run time. <i>(Example: If Frequency dial is set to 1-hour, then Run Time dial must be 30 minutes or less.)</i>

Winterize: remove from faucet, remove batteries and store indoors.

Warranty: Limited three year warranty from date of purchase.
(original receipt required for warranty claim)

2855 S. East Ave.
Fresno, CA 93725

Technical Service: 888-825-4716

Visit Raindrip.com/timers